





More Languages



Certified Model	Version Model	User Manual
S2	Plus Frostlink 6-people	Ski Helmet Intercom System
		ବ www.ejeas.com

Product Details



Product Operation

Operation Diagram




Basic Operation


Power ON/OFF Please charge it before using



Reset: It will automatically power off while charging and can be used while charging after powering on.



Battery Inquiry: After connecting to the phone via Bluetooth, you can see the power icon on the phone side.



If there is no numerical selection, execute the option directly and automatically exit the menu.

Option	Restore	Mesh	Listen	Listen
	Default Settings	Channel (1)	Mesh Pairing	Mesh Pairing
Numerical Value	None	1~5	None	None

Note (1): Can only be selected when Mesh intercom is turned on

Mobile App APP provides intercom group, music control, FM control, switch off, check authenticity and other functions











Open the APP, click on the Bluetooth icon 3 in the top right corner, the interface shows the name of the intercom device searched select the intercom device to be connected. click to connect (IOS system need to enter the phone pairing again, in the system settings->Bluetooth, connect audio Bluetooth).

Open the APP the next time you use it. Click the Bluetooth icon in the top right corner and click to select Intercom for connection from the paired devices.

Mesh Intercom



Mesh intercom is a multi-hop technology mesh network intercom (Communication frequency 470-488MHz). On account of large number of participants and unrestricted location, people are able to move at will within the effective range. It is not only superior to the traditional Bluetooth chain intercom, but has a longer transmission distance and better anti-interference ability.



Features: Intercom with up to 6 people, 5 channels in total. If participating in campaign mode as a listener, there is no limit to the number of people who can join the intercom in a listen-only manner.

Microphone Mute



When using Mesh Intercom, you can mute the microphone with a short press of the <Volume + >+<Volume ->, so that the sound of your own voice will not be sent to others.


? "Microphone Mute"

Press <Volume + >+ <Volume - > to unmute.

? "Microphone unmute"

Note: Only valid for Mesh intercom.

Pairing Steps as Members:




from all the intercoms, you can start communicating and hear each other's voices.



If the device is powered off without turning the intercom off, the intercom will be automatically restored upon the next power-on.

Pairing Steps as Listeners:


In the case that other intercoms have formed a team, you can become the listener of the team through pairing.



Wait a moment and hear "Pairing Successful" from all intercoms. Wait a few more minutes and hear "Channel n". This means that you have joined the intercom network and can communicate with others.

Mobile Phone Pairing

This intercom supports connection to mobile phones for playing songs, making calls, and waking up voice assistants. Up to 2 mobile phones can be connected at the same time.



After switching on, it automatically connects back to the last connected phone Bluetooth. When there is no connection, click on the < Function Button > to reconnect with the last mobile device that was connected to Bluetooth.

Mobile Control

Call Answering

When a call comes in, click on the <Function Button>







Voice Assistant When in standby/playing music, press and hold <Function Button>, it depends on your mobile phone.



Music Control





Music Playing



Previous Song



Volume -



Next Song




Volume +



Music Share

Share the music played by Bluetooth on your phone to another device, and this function cannot be used during Bluetooth intercom.

This function cannot be used when two phones are connected simultaneously.



Product Installation Steps



1. Insert the helmet strap into the clip recess



 Insert the straps into the clip slots on both sides. The same steps are followed on both sides



3. Install S2Frostlink on the left and right sides of the terminal. They are the same steps



4.Peel off the Velcro strap on the microphone pole



5. Load soft wheat into production Type-C hole with buttons



6. Position the microphone so that the wind blows directly in the helmet next to the mouth